Conducting a Functional Behavior Assessment

Current thinking regarding challenging behavior recognizes the success of an intervention depends on understanding why a person responds in a certain way, and teaching the person a more suitable method of getting that same need met. The process of uncovering why a person responds in a particular way is called a functional behavior assessment, or FBA. Conducting a functional behavior assessment is the first step when starting to create a behavior support plan, and it helps the team understand what factors in the environment influence behavior.

Information that is collected will usually include:

- An understanding of events which occur immediately before the behavior (antecedents or stress triggers).
- An understanding of what happens right after the behavior (consequences).
- Previously used treatment efforts and their relative effect or impact on the behavior.
- Potential effects of the physical environment, including:
 - o noise levels
 - o brightness
 - o furniture arrangements
 - o potential crowding factors such as the size of the room and the number of people in the immediate vicinity
- Any possible health or medical factors which may influence the person.
- Where the behavior tends to occur most often, as well as least often.

This information typically is gathered through direct observations of the person across various environments, as well as through a review of the person's records. After reviewing the information and observing the person, it is necessary for the team to develop a hypothesis regarding what they consider to be the reason(s) for the behavior. The most frequent possibilities include seeking attention, task or social avoidance, sensory input, physical illness, and/or mental health concerns.

Fundamental Components of FBA's

One fundamental component of the FBA process is an A-B-C analysis, where "A" stands for antecedent events, "B" for the precisely defined behavior, and "C" for any consequences following the behavior. Most often, every time the behavior occurs, a parent or other caregiver will complete a data sheet on which information is detailed about these three factors.



Antecedents. These are events that seem to reliably predict the occurrence of the behavior. These might be relatively complex things such as requests to complete work assignments, changes in lighting or noise levels within a setting, the onset of a headache or other physical illness, or an increase in screaming by peers within an environment. Sometimes antecedents can be seemingly simple events, such as flipping a light switch, changing directions in a car, or even physical affection.



Behavior. The behavior of concern must be defined in detail so that all persons involved can reliably measure it when it occurs. Simply recording "aggression" is not good enough – what kind of aggression? Verbal? Physical? Against property or others? Hitting, kicking, spitting, biting, slapping, or all of the above? Precise definitions allow the team to know the data is reliable, thus promoting good treatment decisions.



Consequences. These are events which occur immediately after the behavior and the goal is to identify the specific activities, food items, forms of attention, and/or other reinforcing events that help maintain the behavior. Once identified, these reinforcers can often be rearranged to help teach appropriate replacement behaviors and minimize the occurrence of the challenging behavior.

It is important remember that the function of a behavior can change over time. Though initially a behavior may serve to avoid an unpleasant task or request, later that same behavior might serve to gain attention from peers or other caregivers. Consequently, it is helpful to continue the assessment process even after starting a treatment intervention, as this allows the team to understand any changes in the behavior that might occur, and make changes in the support plan based on a function that might change.

Another helpful component is the scatterplot analysis, which provides temporal details about challenging behaviors over the course of each day. Scatterplot analyses help uncover whether specific behaviors occur around predictable periods of time. If this is the case, changes in routines or schedules should occur in order to prevent these situations. A portion of a sample scatterplot is shown below:

Behavior: self-injury (slapping face with open hand which causes

Date Time	1	2	3	4	5	6	7	8	9	10
0600-0630										
0630-0700										
0700-0730										
0730-0800										
0800-0830										
0830-0900										
0900-9300										
0930-1000										
1000-1030										
1030-1100										

In this example, it is reasonable for the person's team to first look at the events occurring around the 0600-0700 time periods. Perhaps this is when the person is first waking – is there a need for a change in wake-up routine? If this is breakfast time, additional information can be collected to assist in understanding what might be happening and where changes might be in order. Similarly, from 0800-0830 there also are a number of self-injury incidents – what is happening during this time period? What can be changed? The 5th day of this month is also a day with a number of incidents of self-injury – what happened this day? Was the person ill? Was a favored caregiver absent? What happened that might explain the behavior? When multiple days are viewed this way, patterns often times can be seen, and plans can be changed to help support the person through difficult times.

Additional tools are interview forms, which ask questions to assist the team in understanding what function a behavior might serve. A popular tool is the Functional Analysis Screening Tool, or the FAST. Another is the Motivation Assessment Scale, or MAS. The FAST is available from Dr. Brian Iwata at the Florida Center on Self Injury, while the MAS can easily be accessed and completed online at:

www.monacoassociates.com

Sample Function	nal Behavior Assessme	ent Intervie	w Qı	uestions
Name	Date of Birth	Sex:	M	F
Name	Date of Birth			
Date of Interview				

DESCRIBE THE BEHAVIOR/S: What behaviors are of concern?

Behavior	Typical Frequency	Typical Duration	Typical Se- verity		
1.	1-5x/week	1-5 min per event	Low		
	6-10x/week	6-10 min per event	Medium		
	> 10x/week	>10 min per event	High		
2.	1-5x/week	1-5 min per event	Low		
	6-10x/week	6-10 min per event	Medium		
	> 10x/week	>10 min per event	High		
3.	1-5x/week	1-5 min per event	Low		
	6-10x/week	6-10 min per event	Medium		
	> 10x/week	>10 min per event	High		
4.	1-5x/week	1-5 min per event	Low		
	6-10x/week	6-10 min per event	Medium		
	> 10x/week	>10 min per event	High		
5.	1-5x/week	1-5 min per event	Low		
	6-10x/week	6-10 min per event	Medium		
	> 10x/week	>10 min per event	High		

DESCRIBE THE LIKELY FUNCTION OF THESE BEHAVIOR(S):

Think of each of the behaviors listed above and describe what you think the person GETS or AVOIDS by displaying the behavior:

Behavior	What does s/he get?	What does s/he avoid?
1.		
2.		
3.		
4.		
5.		

CURRENT MEDICATIONS

Medication	Dose	Times Given	Reason

PREVIOUS MEDICATIONS

Medication	Dose	Times Given	Reason

HEALTH

What medical complications (if any) does the per (e.g., asthma, allergies, rashes, sinus problems,	·
SLEEP PATTERNS	
Weekdays: To bed at:	Wakes at:
Weekends: To bed at:	Wakes at:
Does the person usually: Sleep through the night	or Wake often?
If they wake does s/he get out of hed? Ves	No

MEALS/DIET

Does the person have dietary restrictions? What are they? Please describe the diet and mealtime routines of the person and the extent to which you think these may impact behavior.

ROUTINE

Detail the person's typical daily routine:

0500	1400
0600	1500
0700	1600
0800	1700
0900	1800
1000	1900
1100	2000
1200	2100
1300	2200

Describe the individual's behavioral response to the following situations:

Upset behavior is:									
	Comments								
Given a difficult task to complete									
A desired activity is interrupted			-						
No interaction for 15 minutes or more									
Changes in routine/schedule									
Person cannot get something s/ he wants									
Person is left alone									

COMMU	NICATION SKILLS		Vei	rbal			Sign			C	Sestu	re	ı	Behavi	ior
Please check each box that corresponds with how the person typically communicates. Full sentences		Multiple words	Single Words	Other:	Multiple signs	Single signs	Other:	Shakes head	Points	Leads	Other:				
Social	Requesting attention or assistance														
Positive	Requesting an object or activity														
Social	Requesting escape or a break from some-thing														
Negative	Refusing an activity or a request to do a task														
Automatic	Obtaining sensory input														
Positive															
Automatic	Indicating pain														
Negative															

WHAT POSITIVE ALTERNATIVE BEHAVIORS ARE KNOWN BY THE PERSON?

What socially acceptable behaviors / skills does the person already do that could be	ways of
achieving the same function(s) as the behaviors of concern?	

HISTORY OF BEHAVIOR PROGRAM EFFORTS

Provide a history of the undesirable behaviors and the programs that have been attempted.

Behavior	How long has this been problem	Intervention efforts	Impact

ACTIVITY / REINFORCER PREFERENCES

Please use a scale of 1-5 (1 being the most enjoyable) to indicate the person's preferences below:

Activities and sports

Puzzles Action figures Play dough Biking Amusement parks Roller-skating		Games Musical instruments Other: Swing set Swimming Skateboarding	s	O (1	nes
Television and	video				
Disney movies		Animated movies	_	Other	
Animal videos	_	Cartoons	_	Other	
Treats					
Candy		Foreit		Drotzolo	
Crackers		Fruit Chips		Pretzels Other	
Ice cream	_	Cookies		Other	
Beverages					
Soda					
Milk		Juice Water		Other	
Reading items					
Pop-up books					
• •	_	Picture books	_	Books with sound	
Sensory books		Puzzle books	_	Coloring books	
Sticker books	_	Magazines	_	Other	

Animals									
Cat	Dog								
	J								
			Rodent						
Fish	Bird		Other						
Computer									
CD-Rom games									
——————————————————————————————————————	Internet surfing		Other						
Music									
Country									
Classical	Rock Rap/Hip-hop	_	Oldies Other						
Other (please list other preferences)									